

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Maplewood Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	14	20	0	.	14	20
AIDS-CD4 Only	26	37	0	.	26	37
HIV Only	31	44	0	.	31	44
-----	-----	---	-----	---	-----	---
Total	71	100	0	.	71	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	18	25	0	.	18	25
5-12	0	0	Black, Not Hispanic	46	65	0	.	46	65
13-19	#	#	Hispanic	#	#	0	.	#	#
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	14	20	-----	-----	---	-----	---	-----	---
40-49	30	42	Total	71	100	0	.	71	100
50+	23	32							
Unk.	0	0							
-----	-----	---							
Total	71	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	23	49	0	0	23	32
Injection drug user (IDU)	#	#	#	#	7	10
MSM/IDU	5	11	0	0	5	7
Heterosexual contact	#	#	#	#	14	20
Risk not reported/other***	13	28	9	38	22	31
-----	-----	---	-----	---	-----	---
Total	47	100	24	100	71	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Maplewood Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	29	(32)	20 (71)	0	(.)	0 (.)	29 (32)	20 (71)
Other OI w/o PCP	#	(#)	# (#)	0	(.)	0 (.)	# (#)	# (#)
KS Alone	#	(#)	# (#)	0	(.)	0 (.)	# (#)	# (#)
No Disease Listed	33	(37)	7 (23)	0	(.)	0 (.)	33 (37)	7 (23)
Total	90	(100)	50 (59)	0	(.)	0 (.)	90 (100)	50 (59)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	0	0	White, Not Hispanic	47	52	0	.	47	52
5-12	0	0	Black, Not Hispanic	38	42	0	.	38	42
13-19	#	#	Hispanic	#	#	0	.	#	#
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	33	37	-----	-----	---	-----	---	-----	---
40-49	26	29	Total	90	100	0	.	90	100
Over 49	22	24							
Unknown	0	0							
-----	-----	---							
Total	90	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	30	43	0	0	30	33
Injection drug user (IDU)	14	20	6	29	20	22
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	19	28	5	24	24	27
Total	69	100	21	100	90	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Maplewood Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	.%
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	#	#	#
1990	6	6	100%
1991	#	#	#
1992	9	5	56%
1993	9	8	89%
1994	7	6	86%
1995	7	#	#
1996	#	#	#
1997	5	#	#
1998	#	#	#
1999	#	#	#
2000	10	#	#
2001	6	0	0%
2002	#	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	90	50	56%